



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁶ : A01M 1/02, 1/14</p>	<p>A1</p>	<p>(11) International Publication Number: WO 99/26471 (43) International Publication Date: 3 June 1999 (03.06.99)</p>
<p>(21) International Application Number: PCT/IL98/00579 (22) International Filing Date: 26 November 1998 (26.11.98) (30) Priority Data: 122306 26 November 1997 (26.11.97) IL (71) Applicant (for all designated States except US): TRAPOMOSS LTD. [IL/IL]; Rabin Square 10, 64951 Tel Aviv (IL). (72) Inventors; and (75) Inventors/Applicants (for US only): SIMCHONI, Miriam [IL/IL]; Kibbutz Yiftah, 13840 D.N. Merom Hagalil (IL). SHINITZKY, Meir [IL/IL]; Haganim Way 20, 46910 Kfar Shmaryahu (IL). (74) Agent: DAVIS, Stanley, J.; Jeremy M. Ben-David & Co., P.O. Box 45087, Har Hotzvim Hi-Tech Park, 91450 Jerusalem (IL).</p>		<p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p>Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>
<p>(54) Title: INSECT TRAP</p> <div data-bbox="451 1144 1068 1743"> </div> <p>(57) Abstract</p> <p>A method and a device (10) for trapping insects which feed on mammalian blood, such as mosquitoes, utilize in combination a chemical attractant (24) and a physical attractant consisting of a dark panel (22), heated to e.g., 30 to 45 degrees Celsius. The chemical attractant may include carbon dioxide, generated for example by action of microorganisms on a fermentable substrate in aqueous medium, or it may be selected from fermenting yeast, yeast extract, peptone, acetone, lactic acid and carbon dioxide. The insects may be killed by adhesive applied onto the panel (22).</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

INSECT TRAP

FIELD OF THE INVENTION

The present invention is in the field of insect trapping. More specifically, the invention relates to a device and method for trapping insects which feed on mammalian blood.

BACKGROUND OF THE INVENTION AND PRIOR ART

Insects use their senses to search for food. A combination of chemical and physical factors whether by virtue of either their sheer existence or by their presence at a definite magnitude range are intercepted by the insect sensory organs to direct it towards the potential food source. Such factors that cause the insect to approach such a site will henceforth be referred to as attractants. A prominent attractant cited repeatedly in the literature is carbon dioxide (e.g. Edman. Orientation of some Florida mosquitoes towards small vertebrates and carbon dioxide in the field. *Journal of Medical Entomology*, 15:292-296, 1979). An organic molecule, 1-octen-3-ol is also potentially attractive to insects and mosquitoes, alone or in combination with other factors (e.g. Hall *et al.*, 1-octen-3-ol: a potent olfactory stimulant and attractant for tsetse isolated from cattle odors, *Insect Science and its Applications*, 5:535-539, 1984).

Female mosquitoes need to consume a certain amount of mammalian blood in order to complete the breeding cycle and are therefore equipped with necessary facilities for accomplishing this task. In this context, female mosquitoes are provided with a potency to detect mammals, including humans. Mosquito bites are a source of great inconvenience and are also a disease transmission pathway and there is accordingly a constant search for effective ways to eliminate mosquitoes. Up to now there has not been found an efficient practical method of effectively eliminating this pest. One method of eliminating mosquitoes proposed in the past is by luring them into traps.

Several factors were shown previously to serve as attractants of insects in various kinds of traps. Such are, for example, carbon dioxide, octenol and animal odors (e.g. Becker *et al.*, *Medical and Veterinary Entomology*, 9:377-380, 1995). Poultry protein was also proposed as a fly attractant together with microorganisms capable of digesting the protein (Andersen *et al.*, U.S. Patent No. 4,849,216). Another type of insect attractant proposed for use in traps

comprising various other components is yeast together with a carbohydrate source which it is capable of fermenting (see for example, Bouillard, J., *et al.*, in French Patent Publication FR 2705200). Dieguez, J.M., *et al.*, in U.S. Patent No. 5,382,422, describe a method for providing a flow of carbon dioxide gas containing a vapor of a liquid insect attractant selected from acetone and octanol. A trap for hematophagous insects utilizing a methanol fuel cell to provide carbon dioxide, water vapor and heat, as attractive agents, was proposed by Miller, M.H., in U.S. Patent No. 5,669,176. Moreover, carbon dioxide for use as an insect attractant, was chemically generated in U.S. Patent No. 4,506,473 (Waters, Jr., J. *et al.*).

The entire contents of the above-mentioned patents, patent applications and literature articles are incorporated by reference herein.

SUMMARY OF THE INVENTION

The present invention is based on the discovery that in a trapping device for insects which feed on mammalian blood, and which comprises a chemical attractant for the insects, significantly improved results are obtained by including in the device a physical attractant consisting of a heated dark panel, together with a trapping arrangement effective in trapping mosquitoes attracted to said panel.

More particularly, the invention provides a trapping device as aforesaid, comprising a combination of the dark panel; a source of said carbon dioxide for emitting the same in the vicinity of the panel, a heating source effective to heat the panel, and the trapping arrangement.

In a particular embodiment, the chemical attractant includes carbon dioxide. It is particularly preferred that at least one of the following features applies:

- (a) the insects are mosquitoes;
- (b) the trapping arrangement comprises an adhesive, preferably applied onto said panel;
- (c) the panel is heated to a temperature of within the range of about 30 to 45°C;
- (d) the source of carbon dioxide (when used) is a fermentation process involving the action of microorganisms, preferably comprising yeast, on a fermentable substrate in aqueous medium.

In another embodiment, the chemical attractant comprises at least one member selected from fermenting yeast, yeast extract, peptone, acetone, lactic acid and carbon dioxide.

Also provided by the invention is a method for trapping insects which feed on mammalian blood, which comprises use of a chemical attractant for the insects and which

comprises use additionally of a physical attractant consisting of a heated dark panel, together with a trapping arrangement effective in trapping mosquitoes attracted to said panel.

The heating source typically heats the panel to a temperature within the range of 30-55°C, e.g. about 30-45°C, preferably within the range of about 33-41°C, typically to a temperature of about 35-39°C. In a particular embodiment, the panel is heated to a temperature of about 37°C. In another preferred embodiment, the panel is heated to a temperature of about 40-44°C.

As indicated above, the CO₂ source, in accordance with an embodiment of the invention, is constituted by microorganisms (e.g. yeast) which are capable during fermentation, to emit carbon dioxide. Where yeast is used, this may be provided in a capsule, in dispersed form, as a hard-pressed tablet, etc. In order to effect fermentation, the microorganisms, e.g. the yeast, are brought into intimate contact with a fermentable substrate, such as sugar in aqueous medium. The microorganism may, for example, be included in a small vessel having an exhaust outlet at the vicinity of said panel.

BRIEF DESCRIPTION OF THE DRAWINGS

In the description following, some non-limiting embodiments of the invention will be described with reference to the accompanying drawings, in which:

Fig. 1 is a schematic side view of a trapping device of an embodiment of the invention.

Fig. 2 shows a comparison of the number of mosquitoes trapped in the device having a dark (black-colored) sticker as compared to a device with a light colored sticker. Mosquitoes were released in a room and the number of mosquitoes trapped after 24 hours was then counted.

Fig. 3 shows results of a similar experiment as in Fig. 2, performed in a cage.

Figs. 4 and 5 show results of two experiments comparing the trapping with heating and without. The experiment was performed similarly as in Fig. 2.

Fig. 6 shows results of an experiment, similarly to Figs. 4 and 5, performed in a cage.

DETAILED DESCRIPTION OF THE INVENTION

Reference is first being made to Fig. 1 showing a device in accordance with an embodiment of the invention generally designated 10 comprising a tube 12 with an opening 14

having a heating unit 16 at the other end of the tube, with a heating element 18 connected to a power source 20. Attached to the rear wall of the tube, overlaying the heating unit, is a black panel 22, which is covered by an adhesive. The device further comprises a fermentation vessel 24 having an exhaust outlet 26 in the vicinity of said panel.

In use, yeast is added into vessel 24 and mixed with an nutritional substance, e.g. sucrose, giving rise to fermentation which emits CO₂ through exhaust outlet 26. As will be appreciated, in order to ensure a continuous CO₂ emission, the yeast may be incorporated in a sustained release formulation, known *per se*.

The invention will now be further illustrated by the following non-limiting Examples.

EXAMPLES

Preliminary note: In the Examples, the yeast was baker's yeast, "Safe Instant" brand, manufactured in France, the yeast extract was batch no. 0127 and the peptone was "peptone bacto" no. 0118, all supplied by C.I.E.T. - CARMEL, Israel. In each Example, there were no mosquitoes remaining when the room (or cage) was examined the day after introducing them, i.e. there was 100% kill. Where applicable, a new batch of mosquitoes was introduced each day.

Example 1

Mosquito traps were prepared in accordance with an embodiment of the invention. Each trap included a chemical attractant comprised of a mixture of 25-30 g yeast, 135 g sucrose and 1000 cc water. The traps included also a heating unit which heated the sticker to a temperature of about 37°C. In some of the traps the sticker was a black sticker while in the other group of traps the sticker was a bright color one.

In three individual tests, two traps one having a black sticker and the other having a light color sticker were placed in a room in the presence of one adult individual. The mosquitoes were released in the room and a number of mosquitoes caught in each trap were counted two hours after their release.

As seen in Table 1 below, a large number of mosquitoes were trapped in the trap having the black sticker while no mosquitoes or only very few were trapped in the trap having a light color sticker.

Table 1

Experiment No.	Number of mosquitoes caught by trap	
	Black Sticker	Light color sticker
1. In room	6	-
2. In room	3	0
3. In room	17	3
Total	26	3

Example 2

Traps were prepared as described in Example 1 above, and placed in cages. Mosquitoes were released in the cage and the number of mosquitoes caught in cages having traps with black stickers were compared to the number of mosquitoes caught in cages having traps with light color stickers two hours after release of the mosquitoes.

As seen in Table 2 below, and in agreement with the results of Experiment 1 above, most of the mosquitoes were caught in traps having a black sticker as compared to none or a single mosquito trapped in the trap having a light color sticker.

Table 2

Experiment No.	Number of mosquitoes caught by trap	
	Black Sticker	Light color sticker
1. In cage	5	1
2. In cage	10	0
3. In cage	5	0
Total	20	1

Example 3

Traps were prepared as in Example 1 above. A trap having a black sticker and a trap having a light colored sticker were placed either in a laboratory room in the presence of one adult individual or in a cage. Mosquitoes were released and a number of mosquitoes caught in each trap were counted 24 hours after their release.

As seen in Figs. 2 (room) and 3 (cage) most of the mosquitoes both in the laboratory room as well as in the cage were caught in the trap having a black colored sticker while only a very low number of mosquitoes were caught in the trap having a light colored sticker. This was true whether the light colored sticker was, e.g., pink, yellow, white or pale-blue.

Example 4

Traps comprising the above chemical attractant (25-30 g yeast + 135 g sucrose + 1000 cc water) were prepared all with black stickers. The traps were divided into two groups, one in which the sticker was placed above a heater heating the sticker to a temperature of about 37°C and the other group of traps in which the sticker was not heated.

The traps were placed either in a room in the presence of one adult or in a cage. The mosquitoes were released and the number of mosquitoes caught in each trap were monitored 24 hours after their release. As seen in Table 3 below and in Figs. 4-6, the number of mosquitoes caught in traps in which the black sticker was heated both in the room (Figs. 4 and 5) as well as in the cage (Fig. 6) were significantly higher than the number of mosquitoes caught in the traps in which the black stickers were not heated.

Table 3

Experiment No.	Number of mosquitoes caught by trap	
	Trap with addition of heat	Trap without heat
1. In room	31	6
2. In room	12	2
3. In room	7	3
Total	50	11

Example 5

Mosquito traps were prepared in accordance with an embodiment of the invention. Each trap included a chemical attractant comprised of a mixture of 10 g yeast, 3 g yeast extract, 6 g peptone, 90 g sucrose and 1000 cc water. The dark panel was heated to a temperature of about 41°C. The total no. of mosquitoes trapped was after one day 14 and after two days 26. No further mosquitoes were trapped on day 3.

Example 6

The procedure of Example 5 was repeated, using as chemical attractant a mixture of 15 g yeast, 3 g yeast extract, 6 g peptone, 120 g sucrose and 1000 cc water. The dark panel was heated to a temperature of about 41°C. The total no. of mosquitoes trapped was after one day 14, after two days 26, and after three days 30.

The above results demonstrate the synergistic activity of the combination of the invention comprising a chemical and a physical attractant - the latter consisting of a heated dark panel. Traps comprising the above combination were very potent in trapping mosquitoes both in short term experiments as well as in long term ones. The high efficiency of the traps of the invention was also demonstrated when the traps were placed in a large room in the presence of a single human individual. The presence of the individual (which typically attracts mosquitoes) did not adversely effect the efficiency of the device and method of the invention.

Example 7

Samples of the contents of the traps in experiments similar to Examples 5 and 6 were analyzed, with the following results:

Table 4

No. (time*)	elapsed time in days•	Initial Analysis on each sample ♦		
		Acetone ppm	Lactic acid mg/l	Carbon dioxide %
1 (17.03)	3	2.54	424.38	0.09
2 (17.57)	3	1.94	173.61	0.09
3 (18.30)	2	1.66	369.47	0.11
4 (18.46)	2	1.62	436.24	0.98
5 (18.58)	1	1.20	442.18	2.55
6 (19.11)	1	1.12	798.30	4.24

*of initial analysis

•from commencement of fermentation

♦ samples 1, 3 and 5 were from a fermentation mixture of 10 g yeast, 4 g yeast extract, 7 g peptone, 140 g sucrose and 1000 cc water; samples 2, 4 and 6 were from a fermentation mixture of 10 g yeast, 3 g yeast extract, 6 g peptone, 95 g sucrose and 1000 cc water.

Table 4 confirms the presence after a time lapse of 1, 2 or 3 days, of acetone, lactic acid and carbon dioxide, in the chemical attractant constituted by fermentation mixtures in accordance with embodiments of the invention.

While particular embodiments of the invention have been particularly described above, it will be apparent to skilled persons that the present invention is not limited thereto, since many modifications or variations can be made. Such modifications or variations, which have not been detailed herein, are deemed to be obvious equivalents of the present invention.

CLAIMS

1. In a trapping device for insects which feed on mammalian blood, and which comprises a chemical attractant for the insects, the improvement which comprises including in the device a physical attractant consisting of a heated dark panel, together with a trapping arrangement effective in trapping mosquitoes attracted to said panel.
2. A device according to claim 1, wherein said chemical attractant includes carbon dioxide.
3. A device according to claim 2, comprising a combination of: said dark panel; a source of said carbon dioxide for emitting the same in the vicinity of said panel, a heating source effective to heat said panel, and said trapping arrangement.
4. A device according to claim 3, further characterized by at least one of the following features:
 - (a) said insects are mosquitoes;
 - (b) said trapping arrangement comprises an adhesive, preferably applied onto said panel;
 - (c) said panel is heated to a temperature of within the range of about 30 to 45°C;
 - (d) said source of carbon dioxide is a fermentation process involving the action of microorganisms, preferably comprising yeast, on a fermentable substrate in aqueous medium.
5. A device according to claim 4, wherein at least feature (d) applies, said microorganisms comprise yeast, and said substrate comprises sugar.
6. A device according to claim 5, wherein said fermentation process is effected in presence of peptone.
7. A device according to claim 1, wherein said chemical attractant comprises at least one member selected from the group consisting of fermenting yeast, yeast extract, peptone, acetone, lactic acid and carbon dioxide, and preferably at least one of the following features applies:
 - (a) said insects are mosquitoes;

- (b) said trapping arrangement comprises an adhesive, preferably applied onto said panel;
- (c) said panel is heated to a temperature of within the range of about 30 to 45°C.

8. In a method for trapping insects which feed on mammalian blood, and which comprises use of a chemical attractant for the insects the improvement which comprises use additionally of a physical attractant consisting of a heated dark panel, together with a trapping arrangement effective in trapping mosquitoes attracted to said panel.

9. A method according to claim 8, wherein said chemical attractant includes carbon dioxide.

10. A method according to Claim 9, further characterized by at least one of the following features:

- (a) said insects are mosquitoes;
- (b) said trapping arrangement comprises an adhesive, preferably applied onto said panel;
- (c) said panel is heated to a temperature of within the range of about 30 to 45°C;
- (d) said source of carbon dioxide is a fermentation process involving the action of microorganisms, preferably comprising yeast, on a fermentable substrate in aqueous medium.

11. A method according to claim 10, wherein at least feature (d) applies, said microorganisms comprise yeast, and said substrate comprises sugar.

12. A method according to claim 11, wherein said fermentation process is effected in presence of peptone.

13. A method according to claim 8, wherein said chemical attractant comprises at least one member selected from the group consisting of fermenting yeast, yeast extract, peptone, acetone, lactic acid and carbon dioxide and preferably at least one of the following features applies:

- (a) said insects are mosquitoes;
- (b) said trapping arrangement comprises an adhesive, preferably applied onto said panel;
- (c) said panel is heated to a temperature of within the range of about 30 to 45°C.

1/3





FIG. 2

2/3




FIG.3




FIG.4

3/3




FIG.5




FIG.6

INTERNATIONAL SEARCH REPORT

International application No.
PCT/IL98/00579

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :AOIM 1/02, 1/14

US CL :Please See Extra Sheet.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 43/107, 114, 132.1

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
NONE

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS

search terms: carbon dioxide, yeast, mosquito, insects, flies

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4,168,591 A (SHAW) 25 September 1979 (25.09.79), see entire document, especially col. 4.	1, 8
Y		2-7, 9-13
Y	US 4,506,473 A (WATERS, JR.) 26 March 1985 (26.03.85), see entire document.	2-7, 9-13
Y	US 4,907,366 A (BALFOUR) 13 March 1990 (13.03.90), see entire document.	2-7, 9-13
A	US 5,669,176 A (MILLER) 23 September 1997 (23.09.97), see entire document.	1-13
A	US 5,382,422 A (DIEGUEZ ET AL.) 17 January 1995 (17.01.95), see entire document.	1-13
A	US 4,849,216 A (ANDERSEN) 18 July 1989 (18.07.89), see entire	1-13

☒ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
B earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*a* document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

10 MARCH 1999

Date of mailing of the international search report

15 APR 1999

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

DARREN ARK

Telephone No. (703) 305-3733

INTERNATIONAL SEARCH REPORT

International application No.
PCT/IL98/00579

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,241,778 A (PRICE) 7 September 1993 (07.09.1993), see entire document.	1-13
A	US 5,657,576 A (NICOSIA) 19 August 1997 (19.08.97), see entire document.	1-13
Y	FR 2705200 A1 (JEAN-JACQUES) 25 November 1994 (25.11.94), see entire document.	2-7, 9-13
A	SU 1303109 A (EGIN) 15 April 1987 (15.04.87), see entire document.	1-13
A	GB 1577333 A1 (HILL ET AL.) 22 October 1980 (22.10.80), see entire document.	1-13
A	US 5,311,697 A (CAVANAUGH ET AL.) 17 May 1994 (17.05.94), see entire document.	1-13
X,P	US 5,799,436 A (NOLEN ET AL.) 01 September 1998 (01.09.98), see entire document.	1-4, 7-10, 13
Y,P		5, 6, 11, 12
A	US 5,205,065 A (WILSON ET AL.) 27 April 1993 (27.04.93), see entire document.	1-13
A	US 4,992,268 A (LANDOLT ET AL.) 12 February 1991 (12.02.91), see entire document.	1-13

INTERNATIONAL SEARCH REPORT

International application No.
PCT/IL98/00579

A. CLASSIFICATION OF SUBJECT MATTER:
US CL :

43/107, 114, 132.1

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.